

The International Conference of the University of Agronomic Sciences and Veterinary Medicine of Bucharest

> AGRICULTURE FOR LIFE, LIFE FOR AGRICULTURE June 6 – 8, 2019, Bucharest, Romania



NUTRITIONAL QUALITY PARAMETERS **OF THE FRESH RED TOMATO VARIETIES CULTIVATED IN ORGANIC SYSTEM**

Aurora DOBRIN¹, Alina NEDELUŞ², Oana-Crina BUJOR¹, Andrei MOŢ¹, Mihaela ZUGRAVU¹, Liliana BĂDULESCU¹

¹ Research Centre for Study of Food and Agricultural Products Quality, University of Agronomic Sciences and Veterinary Medicine of Bucharest (USAMV of Bucharest), 59 Maraşti Blvd, District 1, Bucharest, Romania

² Bio Culture SRL, Cluj-Napoca






Keywords: organic tomato, lycopene, carotene, nutritional, quality

INTRODUCTION

- Production of tomatoes in the organic system is very important because these are not only the most vegetables widely consume (the second after potato) but also are classified as a functional food. Due to the high content in bioactive compounds, especially lycopene, tomatoes provide nutritional properties and also contribute to maintaining health.
- The amount of lycopene and total carotenoids content can vary with the variety, degree of ripeness, climatic conditions and agricultural practices. According to European legislation regarding organic crops, the organic products, compared to the conventional ones, have a higher amount of antioxidant compounds, are free of heavy metals and pesticides (Araujo, 2014; Lahoz, 2016; Bosona, 2018; Ronga, 2019).




https://www.facebook.com/pg/BioCultureCluj/photos/?ref=page_internal

Soluble solids content (TSS) - Kruss Digital Handheld Refractometer

Titratable acidity (TA)-TitroLine easy device

Firmnessfruit penetrometer 53200

RESULTS AND DISCUSSIONS



Tomatoes of Cher Ami had the higher TSS (5.35 %%) with 4.71% more than *Coeur de Boeuf* tomatoes. Both tomatoes variety, *Coeur de Boeuf* and *Cher Ami*, showed a similar level of TA of about 0.4%. • Cher Ami tomatoes have the higher maturity index . *Cher Ami* and *Coeur de Boeuf* tomatoes have similar taste index of 1.06 and 1.02 respectively. • The results for the **firmness** show that *Coeur de Boeuf* variety had the highest value of 1.46 Kgf/cm², with 50.21% more than *Cher Ami* variety (0.73 Kgf/cm²). **Dry matter content** was 6.85% for *Cher Ami* variety

Nutritional parameters of Cher Ami and Coeur du Boeuf tomatoes varieties

Variety	TA (Citric acid %)	Firmness (kgf/cm ²)	DM (%)	TSS (%)	TI	MI
Cher Ami	0.41 ±0.00	0.73 ±0.03	6.85 ±0.02	5.35 ±0.11	1.06	13.03

Variation of lycopene and carotene contents for tomato varieties

Coeur de Boeuf Cher Ami

- and 4.87% for Coeur de Boeuf variety.
- Lycopene content for Cher Ami variety was of 6.64 mg.100 g-1,

while for Coeur de Boeuf variety it was 4.74 mg.100 g-1.

- Total carotenoids content follow the same trend as the lycopene content.
- Coeur de Boeuf variety had lower carotenoids content compared with the Cher Ami variety.

CONCLUSIONS

Coeur de Boeuf	0.45 ±0.00	1.46 ±0.03	4.87 ±0.01	5.1 ±0.16	1.02	11.40

The results showed that physicochemical quality of organic tomatoes varieties assessed as dry matter, total soluble solids, firmness, titratable acidity are depending on variety. ۲

- Both lycopene content and carotene content were in higher amount both in Cher Ami variety and in Coeur de Boeuf.
- Organic tomatoes produced successfully under controlled conditions are a good source of nutritional quality parameters, which can be used in food and pharmaceutical industries.

ACKNOWLEDGEMENTS

This work was supported by a grant of the Romanian National Authority for Scientific Research and Innovation, CCCDI – UEFISCDI, project number 4/2018 ERANET-COREORGANIC-SusOrgPlus, within PNCDI III.



REFERENCES

- Araujo et al. (2014). Physico-chemical and sensory parameters of tomato cultivars grown in organic systems. *Horticultura Brasileira*, 32(2), 205-209.
- Bosona and Gebresenbet, (2018). Life cycle analysis of organic tomato production and supply in Sweden. Journal of Cleaner Production, 196, 635-643.
- Lahoz et al., (2016). Influence of high lycopene varieties and organic farming on the production and quality of processing tomato, Scientia Horticulturae, 204, 128-137, ISSN 0304-4238.
- Ronga et al., (2019). Carbon footprint and energetic analysis of tomato production in the organic vs the conventional cropping systems in Southern Italy. Journal of Cleaner Production.
- https://www.facebook.com/pg/BioCultureCluj/photos/?ref=page_internal

www.usamv.ro